

ELKAY[®]

commercial
products

Commercial Faucets

Discover the
professional's choice.[™]



Commercial Faucets Crafted In The Elkay Tradition

Since 1920 Elkay's mission has remained constant ... provide better customer service, higher quality and more innovation than our competitors. Our faucets are no exception. Every Elkay faucet is crafted from the best grade materials and is precision engineered for maximum performance. Best of all, there is an Elkay commercial faucet for virtually any application, all with the style, functionality and quality associated with the Elkay name.



Our extensive faucet offering and ability to meet a wide range of commercial requirements is enhanced with **interchangeable components**, including spouts, handles and aerators. This versatility makes it easy to configure an Elkay faucet to your specific needs, as well as replace components if these needs ever change.



Table of Contents

Food Service	3-10
Lavatory	11-13
Scrub and Hand Wash	14-21
Service and Utility	22-24
Classroom	25-27
General Use	28-31
Accessories	32-35

At the core of most Elkay commercial faucets is **our new ceramic disk cartridge** which is designed to be **interchangeable** with other faucet brands. Compared to conventional faucet cartridges, our ceramic disks provide smoother and easier operation, a longer expected life and are well suited for both high or low-pressure water areas.

From healthcare facilities and schools... to restaurants and office buildings, Elkay has the ideal faucet for every application. To find the Elkay faucet that's right for you, simply go to the section of this catalog that best describes your type of installation. *Our most popular models are identified in large, green type.*

The Elkay Difference



Interchangeable spouts are available in a wide array of styles and sizes to help create just the right faucet for essentially any application

Interchangeable handle options meet ADA requirements and are offered in wristblade and lever styles


2.2 GPM vandal-resistant aerator standard with 1.5 and .5 GPM insert and key included for low-flow specified applications.

Ceramic disk cartridge technology provides long-lasting, superior performance and ease-of-operation

Durable polished chrome finish stands up well to heavy-use environments and looks attractive in any setting

Solid brass construction throughout helps ensure years of service and NSF/ANSI 61 compliance

Discover the professional's choice™.



Elkay **Food Service Faucets** provide functionality with style and are available for a variety of functions throughout the commercial kitchen. Choose from pot-fillers and pre-rinses, as well as wall-mounted and deck-mounted faucets with an assortment of handle and spout styles. Count on Elkay to make finding the right faucet for any food service application an easy task!

Food Service
Spout Options:



Arc Tube
8", 10" and 12"



Gooseneck
4", 5" and 8"



High Arc
8" and 10"



Tube Spout
8"



Double Swing
20"

Food Service
Handle Options:



2" Lever Handle



4" Wristblade Handle



6" Wristblade Handle

8" Centerset Wall Mount

- Choice of 3 handle options
- Choice of 2 spout styles
- Quarter turn ceramic disc cartridge
- Solid brass construction
- 2.2 GPM vandal-resistant aerator standard with 1.5 and .5 GPM insert included
- Chrome finish
- Includes spout swing restriction pin
- Replacement cartridge 45923C for cold
- Replacement cartridge 45924C for hot
- 1/2" NPT female inlets



LK940AT08L2H



Model Number	Spout Reach	Handle	Inlet	Shipping WT. LBS.
ARC TUBE				
LK940AT08L2H	8"	2" Lever	Standard	6.25
LK940AT08L2S	8"	2" Lever	Shut Off Valve	6.5
LK940AT08T4H	8"	4" Wristblade	Standard	6.5
LK940AT08T4S	8"	4" Wristblade	Shut Off Valve	6.75
LK940AT08T6H	8"	6" Wristblade	Standard	6.5
LK940AT08T6S	8"	6" Wristblade	Shut Off Valve	7
LK940AT10L2H	10"	2" Lever	Standard	6.25
LK940AT10L2S	10"	2" Lever	Shut Off Valve	6.5
LK940AT10T4H	10"	4" Wristblade	Standard	6.5
LK940AT10T4S	10"	4" Wristblade	Shut Off Valve	6.75
LK940AT10T6H	10"	6" Wristblade	Standard	6.5
LK940AT10T6S	10"	6" Wristblade	Shut Off Valve	7
LK940AT12L2H	12"	2" Lever	Standard	5.5
LK940AT12L2S	12"	2" Lever	Shut Off Valve	5.75
LK940AT12T4H	12"	4" Wristblade	Standard	5.5
LK940AT12T4S	12"	4" Wristblade	Shut Off Valve	6
LK940AT12T6H	12"	6" Wristblade	Standard	5.75
LK940AT12T6S	12"	6" Wristblade	Shut Off Valve	6
DOUBLE SWING				
LK940DS20L2H	20"	2" Lever	Standard	7.75
LK940DS20L2S	20"	2" Lever	Shut Off Valve	8
LK940DS20T4H	20"	4" Wristblade	Standard	8
LK940DS20T4S	20"	4" Wristblade	Shut Off Valve	8.25
LK940DS20T6H	20"	6" Wristblade	Standard	8
LK940DS20T6S	20"	6" Wristblade	Shut Off Valve	8.25



LK940AT10T4S



LK940AT12T6H



LK940DS20T4S

Pre-Rinse

- 3.2 GPM spray head
- 2" lever handles
- Self closing valve
- Quarter turn ceramic disc cartridge
- Solid brass construction
- Insulated handle
- Chrome finish
- Spouts come with 2.2 GPM vandal resistant aerator standard with 1.5 and .5 GPM insert included



LK943C

Model Number	Add On Faucet	Spout Length	Hose Length	Shipping WT. LBS.
SINGLE HOLE CONCEALED DECK				
LK543C			44"	12
LK543AF08C	Yes	8"	44"	15
LK543AF10C	Yes	10"	44"	15
8" CENTERSET W/ EXPOSED DECK				
LK843C			44"	14
LK843AF08C	Yes	8"	44"	17
LK843AF10C	Yes	10"	44"	17
8" CENTERSET WALL MOUNT				
LK943C			44"	13
LK943AF08C	Yes	8"	44"	16
LK943AF10C	Yes	10"	44"	16
LK960AF08C	Yes	8"	60"	8
LK960AF10C	Yes	10"	60"	8

Low Flow Pre-Rinse

- 1.2 GPM spray head
- 2" lever handles
- Self closing valve
- Quarter turn ceramic disc cartridge
- Solid brass construction
- Insulated handle
- Chrome finish
- Spouts come with 2.2 GPM vandal resistant aerator standard with 1.5 and .5 GPM insert included



LK543C

LK543AF08C

LK843C



LK843AF10C

LK943AF08C



LK960AF08C

Model Number	Add On Faucet	Spout Length	Hose Length	Shipping WT. LBS.
SINGLE HOLE CONCEALED DECK				
LK543LC			44"	12
LK543AF08LC	Yes	8"	44"	15
LK543AF10LC	Yes	10"	44"	15
8" CENTERSET W/ EXPOSED DECK				
LK843LC			44"	14
LK843AF08LC	Yes	8"	44"	17
LK843AF10LC	Yes	10"	44"	17
8" CENTERSET WALL MOUNT				
LK943LC			44"	13
LK943AF08LC	Yes	8"	44"	16
LK943AF10LC	Yes	10"	44"	16
LK960AF08LC	Yes	8"	60"	8
LK960AF10LC	Yes	10"	60"	8

8" Centerset Wall Mount

- Choice of 3 handle option
- Choice of 2 spout styles
- Quarter turn ceramic disc cartridge
- Solid brass construction
- 2.2 GPM vandal-resistant aerator standard with 1.5 and .5 GPM insert included
- Chrome finish
- Includes spout swing restriction pin
- Replacement cartridge 45923C for cold
- Replacement cartridge 45924C for hot
- 1/2" NPT female inlets



LK940TS08L2H

Model Number	Spout Reach	Handle	Inlet	Shipping WT. LBS.
HIGH ARC				
LK940HA08L2H	8"	2" Lever	Standard	6.25
LK940HA08L2S	8"	2" Lever	Shut Off Valve	6
LK940HA08T4H	8"	4" Wristblade	Standard	6.5
LK940HA08T4S	8"	4" Wristblade	Shut Off Valve	6.75
LK940HA08T6H	8"	6" Wristblade	Standard	6.5
LK940HA08T6S	8"	6" Wristblade	Shut Off Valve	7
LK940HA10L2H	10"	2" Lever	Standard	6.5
LK940HA10L2S	10"	2" Lever	Shut Off Valve	6.75
LK940HA10T4H	10"	4" Wristblade	Standard	6.5
LK940HA10T4S	10"	4" Wristblade	Shut Off Valve	6.75
LK940HA10T6H	10"	6" Wristblade	Standard	6.75
LK940HA10T6S	10"	6" Wristblade	Shut Off Valve	7
TUBE SPOUT				
LK940TS08L2H	8"	2" Lever	Standard	6.25
LK940TS08L2S	8"	2" Lever	Shut Off Valve	6.5
LK940TS08T4H	8"	4" Wristblade	Standard	6.5
LK940TS08T4S	8"	4" Wristblade	Shut Off Valve	6.75
LK940TS08T6H	8"	6" Wristblade	Standard	6.5
LK940TS08T6S	8"	6" Wristblade	Shut Off Valve	7



LK940HA08L2H



LK940TS08T4H



LK945AT08L2T

3"-8" Adjustable Centers

- Choice of 3 handle options
- Choice of 5 spout styles
- Quarter turn ceramic disc cartridge
- Solid brass construction
- 2.2 GPM vandal-resistant aerator standard with 1.5 and .5 GPM insert included
- Chrome finish
- Includes spout swing restriction pin
- Replacement cartridge 45923C for cold
- Replacement cartridge 45924C for hot
- 1/2" NPT female inlets with 2" offset



LK945AT10T6T



LK945DS20T4T

Model Number	Spout Reach	Handle	Inlet	Shipping WT. LBS.
ARC TUBE				
LK945AT08L2T	8"	2" Lever	2" Offset	5.75
LK945AT08T4T	8"	4" Wristblade	2" Offset	6
LK945AT08T6T	8"	6" Wristblade	2" Offset	6.25
LK945AT10L2T	10"	2" Lever	2" Offset	6
LK945AT10T4T	10"	4" Wristblade	2" Offset	6
LK945AT10T6T	10"	6" Wristblade	2" Offset	6
LK945AT12L2T	12"	2" Lever	2" Offset	5
LK945AT12T4T	12"	4" Wristblade	2" Offset	5
LK945AT12T6T	12"	6" Wristblade	2" Offset	5.25
DOUBLE SWING				
LK945DS20L2T	20"	2" Lever	2" Offset	7
LK945DS20T4T	20"	4" Wristblade	2" Offset	7.25
LK945DS20T6T	20"	6" Wristblade	2" Offset	7.5

3"-8" Adjustable Centers

- Choice of 3 handle options
- Choice of 5 spout styles
- Quarter turn ceramic disc cartridge
- Solid brass construction
- 2.2 GPM vandal-resistant aerator standard with 1.5 and .5 GPM insert included
- Chrome finish
- Includes spout swing restriction pin
- Replacement cartridge 45923C for cold
- Replacement cartridge 45924C for hot
- 1/2" NPT female inlets with 2" offset



Model Number	Spout Reach	Handle	Inlet	Shipping WT. LBS.
GOOSENECK				
LK945GN04L2T	4"	2" Lever	2" Offset	6
LK945GN04T4T	4"	4" Wristblade	2" Offset	6
LK945GN04T6T	4"	6" Wristblade	2" Offset	6.25
LK945GN05L2T	5"	2" Lever	2" Offset	6
LK945GN05T4T	5"	4" Wristblade	2" Offset	6
LK945GN05T6T	5"	6" Wristblade	2" Offset	6.25
LK945GN08L2T	8"	2" Lever	2" Offset	5
LK945GN08T4T	8"	4" Wristblade	2" Offset	5.5
LK945GN08T6T	8"	6" Wristblade	2" Offset	5.5
HIGH ARC				
LK945HA08L2T	8"	2" Lever	2" Offset	5.75
LK945HA08T4T	8"	4" Wristblade	2" Offset	6
LK945HA08T6T	8"	6" Wristblade	2" Offset	6
LK945HA10L2T	10"	2" Lever	2" Offset	6
LK945HA10T4T	10"	4" Wristblade	2" Offset	6
LK945HA10T6T	10"	6" Wristblade	2" Offset	6.25
TUBE SPOUT				
LK945TS08L2T	8"	2" Lever	2" Offset	6
LK945TS08T4T	8"	4" Wristblade	2" Offset	6
LK945TS08T6T	8"	6" Wristblade	2" Offset	6.25



LK945GN08L2T



LK945HA08T4T



LK945TS08L2T



LK810AT08L2

**8" Centerset
with Exposed Deck**

- Choice of 3 handle options
- Choice of 4 spout styles
- Quarter turn ceramic disc cartridge
- Solid brass construction
- 2.2 GPM vandal-resistant aerator standard with 1.5 and .5 GPM insert included
- Chrome finish
- Includes spout swing restriction pin
- Replacement cartridge 45923C for cold
- Replacement cartridge 45924C for hot



LK811AT08L2



LK810GN04T6



LK810HA08T4



LK810TS08L2

Model Number	Spout Reach	Handle	Side Spray	Shipping WT. LBS.
ARC TUBE				
LK810AT08L2	8"	2" Lever		6
LK810AT08T4	8"	4" Wristblade		6.25
LK810AT08T6	8"	6" Wristblade		6.5
LK811AT08L2	8"	2" Lever	■	6.75
LK810AT10L2	10"	2" Lever		6.25
LK810AT10T4	10"	4" Wristblade		6.5
LK810AT10T6	10"	6" Wristblade		6.5
LK810AT12L2	12"	2" Lever		5.25
LK810AT12T4	12"	4" Wristblade		5.5
LK810AT12T6	12"	6" Wristblade		5.75
GOOSENECK				
LK810GN04L2	4"	2" Lever		6
LK810GN04T4	4"	4" Wristblade		6.25
LK810GN04T6	4"	6" Wristblade		6.5
LK810GN05L2	5"	2" Lever		6.25
LK810GN05T4	5"	4" Wristblade		6.25
LK810GN05T6	5"	6" Wristblade		6.5
LK810GN08L2	8"	2" Lever		5.5
LK810GN08T4	8"	4" Wristblade		5.75
LK810GN08T6	8"	6" Wristblade		6
HIGH ARC				
LK810HA08L2	8"	2" Lever		6
LK810HA08T4	8"	4" Wristblade		6.25
LK810HA08T6	8"	6" Wristblade		6.5
LK810HA10L2	10"	2" Lever		6.25
LK810HA10T4	10"	4" Wristblade		6.5
LK810HA10T6	10"	6" Wristblade		6.75
TUBE SPOUT				
LK810TS08L2	8"	2" Lever		6
LK810TS08T4	8"	4" Wristblade		6.25
LK810TS08T6	8"	6" Wristblade		6.5

**Single Hole
with Concealed Deck**

- Dual control
- 2" lever handles
- Choice of 3 spout options
- Quarter turn ceramic disc cartridge
- Solid brass construction
- 2.2 GPM vandal-resistant aerator standard with 1.5 and .5 GPM insert included
- Chrome finish
- Includes spout swing restriction pin
- Replacement cartridge 45923C for cold
- Replacement cartridge 45924C for hot



LK500AT08L2

Model Number	Spout Reach	Handle	Shipping WT. LBS.
ARC TUBE			
LK500AT08L2	8"	2" Lever	5.5
LK500AT10L2	10"	2" Lever	5.5
LK500AT12L2	12"	2" Lever	4.75
GOOSENECK			
LK500GN08L2	8"	2" Lever	4.75
HIGH ARC			
LK500HA08L2	8"	2" Lever	5.5
LK500HA10L2	10"	2" Lever	5.5



LK500GN08L2



LK500HA08L2

**8" Centerset
with Concealed Deck**

- Choice of 2 spout styles
- Quarter turn ceramic disc cartridge
- Solid brass construction
- 2.2 GPM vandal-resistant aerator with optional 1.5 and .5 GPM insert
- Chrome finish
- Includes spout swing restriction pin
- Replacement cartridge 45923C for cold
- Replacement cartridge 45924C for hot
- Adjustable mounting up to 8" spread



LK801AT08L2

Model Number	Spout Reach	Handle	Side Spray	Shipping WT. LBS.
ARC TUBE				
LK801AT08L2	8"	2" Lever	■	6.25
GOOSENECK				
LK801GN08L2	8"	2" Lever	■	5.5



LK801GN08L2



Elkay **Lavatory Faucets** are designed to withstand the frequent and often times harsh use of commercial restroom applications. Select from twin handle and single control 4" centerset models with and without pop up... or choose an elegant 8" centerset designer faucet, depending on your requirements and preference. For lav faucets that look as good as they perform, look to Elkay!

Lavatory Faucet
Handle Options:



2" Lever Handle



4" Wristblade Handle



6" Wristblade Handle

Single Control models available with 4" or 7" Wristblade Handle

4" Centerset with Exposed Deck and Integral Spout

- Choice of 4 handle options
- Quarter turn ceramic disc cartridge
- 2.2 GPM vandal-resistant aerator standard with 1.5 and .5 GPM insert included
- Solid brass construction
- Chrome finish
- Replacement cartridge 45923C for cold
- Replacement cartridge 45924C for hot



LK402L2

Model Number	Handle	Pop Up	Shipping WT. LBS.
TWIN HANDLE			
LK402L2	2" Lever		3.75
LK402T4	4" Wristblade		3.75
LK402T6	6" Wristblade		4
LK403L2	2" Lever	■	4.75
LK403T4	4" Wristblade	■	4.75
LK403T6	6" Wristblade	■	5
SINGLE CONTROL			
LK422L4	4" Lever		5
LK422L7	7" Lever		5
LK423L4	4" Lever	■	6
LK423L7	7" Lever	■	6



LK403T4



LK422L7

8" Centerset with Concealed Deck

- Choice of 3 handle options
- Cast fixed spout
- Quarter turn ceramic disc cartridge
- Solid brass construction
- 2.2 GPM vandal-resistant aerator standard with 1.5 and .5 GPM insert
- Chrome finish
- Replacement cartridge 45923C for cold
- Replacement cartridge 45924C for hot
- Adjustable mounting up to 8" spread



LK804CF06L2

Model Number	Spout Reach	Handle	Shipping WT. LBS.
CAST FIXED			
LK804CF06L2	6"	2" Lever	7.25
LK804CF06T4	6"	4" Wristblade	7.25
LK804CF06T6	6"	6" Wristblade	7.5
LK804F	8"	Fancy Lever	6



LK804F



LK651

Metered Deck Mount

- Self-closing metering ceramic cartridge
- Polished chrome finish
- Solid brass construction
- Vandal-resistant aerator with key
- 2.2 GPM / 8.3L / min at 60 P.S.I.G
- 0.25 Gal / cycle max.



LK652



LK654



LK656

Model Number	Spout Reach	Hole Mounting	Shipping WT. LBS.
CAST FIXED			
LK651	5"	3 Hole 8" cc	6.2
LK652	4-1/8"	3 Hole Centerset	3.8
LK654	4-1/8"	1 Hole	2.4
LK656	4"	2 Hole 4" cc	4.2

Electronic Deck Mount

- Adjustable hot and cold operation
- Modular one-piece construction with all concealed components above deck
- Double infrared sensors with automatic setup and indicator light
- Automatic self-adapting sensor technology
- Low battery indicator
- .5 GPM / 1.9 LPM vandal-resistant spray head



LK736B

Model Number	Spout Reach	Power	Shipping WT. LBS.
CAST FIXED			
LK736AC	5-9/16"	AC	5.6
LK736B	5-9/16"	Battery	5.6

Electronic Deck Mount

- For pre-tempered operation
- Splash-proof circuit control module
- Sensor range adjustment screw
- Low battery LED indicator light
- Variable time out settings
- Bak-chek tee for hot/cold supply
- Below deck control box
- .5 GPM / 1.9 LPM vandal-resistant spray head
- 4" centerset mounting



LK737B

Model Number	Spout Reach	Power	Shipping WT. LBS.
CAST FIXED			
LK737AC	4-9/16"	AC	5.6
LK737B	4-9/16"	Battery	5.6



Elkay's extensive line of **Scrub and Handwash Faucets** is specially designed to service the healthcare industry. Our offering includes sensor operated electronic models and pedal valves, as well as conventional manual faucets, ideal for hospitals, doctors' offices and other healthcare related facilities. Elkay Scrub and Handwash Faucets... just what the doctor ordered!

Scrub and Hand Wash Spout Options:



Arc Tube
8", 10" and 12"

Gooseneck
4", 5" and 6"

High Arc
8" and 10"

Tube Spout
8"

Scrub and Hand Wash Handle Options:



2" Lever Handle

4" Wristblade Handle

6" Wristblade Handle



LKB721C

Electronic Deck Mount

- Dual power AC and battery
- Adjustable sensor range
- Gooseneck spout
- 2.0 gpm laminar flow aerator
- Chrome plated finish
- Solid brass construction
- Vandal-resistant and water-resistant sensor control module
- Adjustable shut-off delay
- Adjustable time-out feature



Model Number	Spout Reach	Power	Shipping WT. LBS.
LKB721C	5-3/8"	AC/Battery	7



LKB722C

Electronic Wall Mount

- Dual power AC and battery
- Adjustable sensor range
- Gooseneck spout
- 2.0 gpm laminar flow aerator
- Chrome plated finish
- Solid brass construction
- Vandal-resistant and water-resistant sensor control module
- Adjustable shut-off delay
- Adjustable time-out feature



Model Number	Spout Reach	Power	Shipping WT. LBS.
LKB722C	5-3/8"	AC/Battery	8

4" Centerset with Exposed Deck

- Choice of 3 handle options
- Choice of 4 spout styles
- Quarter turn ceramic disc cartridge
- Solid brass construction
- 2.2 GPM vandal-resistant aerator standard with 1.5 and .5 GPM insert included
- Chrome finish
- Includes spout swing restriction pin
- Replacement cartridge 45923C for cold
- Replacement cartridge 45924C for hot



LK406GN04L2

Model Number	Spout Reach	Handle	Shipping WT. LBS.
ARC TUBE			
LK406AT08L2	8"	2" Lever	4.75
LK406AT08T4	8"	4" Wristblade	5
LK406AT08T6	8"	6" Wristblade	5.25
LK406AT10L2	10"	2" Lever	4.75
LK406AT10T4	10"	4" Wristblade	5
LK406AT10T6	10"	6" Wristblade	5.25
LK406AT12L2	12"	2" Lever	4
LK406AT12T4	12"	4" Wristblade	4
LK406AT12T6	12"	6" Wristblade	4.25
GOOSENECK			
LK406GN04L2	4"	2" Lever	4.75
LK406GN04T4	4"	4" Wristblade	5
LK406GN04T6	4"	6" Wristblade	5
LK406GN05L2	5"	2" Lever	4.75
LK406GN05T4	5"	4" Wristblade	5
LK406GN05T6	5"	6" Wristblade	5.25
LK406GN08L2	8"	2" Lever	4
LK406GN08T4	8"	4" Wristblade	4.25
LK406GN08T6	8"	6" Wristblade	4.5
HIGH ARC			
LK406HA08L2	8"	2" Lever	4.75
LK406HA08T4	8"	4" Wristblade	4.75
LK406HA08T6	8"	6" Wristblade	5
LK406HA10L2	10"	2" Lever	5
LK406HA10T4	10"	4" Wristblade	5
LK406HA10T6	10"	6" Wristblade	5.25
TUBE SPOUT			
LK406TS08L2	8"	2" Lever	4.75
LK406TS08T4	8"	4" Wristblade	5
LK406TS08T6	8"	6" Wristblade	5



LK406AT08T4



LK406GN08L2



LK406HA08T6



LK406TS08L2



LK500GN05L2

Single Hole with Concealed Deck

- Dual Control
- Choice of 3 handle options
- Choice of 3 spout options
- Quarter turn ceramic disc cartridge
- Solid brass construction
- 2.2 GPM vandal-resistant aerator standard with 1.5 and .5 GPM insert included
- Chrome finish
- Includes spout swing restriction pin
- Replacement cartridge 45923C for cold
- Replacement cartridge 45924C for hot



LK500AT08T4



LK500GN05T6



LK500HA08L2

Model Number	Spout Reach	Handle	Shipping WT. LBS.
ARC TUBE			
LK500AT08L2	8"	2" Lever	5.5
LK500AT08T4	8"	4" Wristblade	5.5
LK500AT08T6	8"	6" Wristblade	5.75
LK500AT10L2	10"	2" Lever	5.5
LK500AT10T4	10"	4" Wristblade	5.5
LK500AT10T6	10"	6" Wristblade	5.75
LK500AT12L2	12"	2" Lever	4.75
LK500AT12T4	12"	4" Wristblade	5.5
LK500AT12T6	12"	6" Wristblade	5.75
GOOSENECK			
LK500GN04L2	4"	2" Lever	5.5
LK500GN04T4	4"	4" Wristblade	5.5
LK500GN04T6	4"	6" Wristblade	5.75
LK500GN05L2	5"	2" Lever	5.5
LK500GN05T4	5"	4" Wristblade	5.75
LK500GN05T6	5"	6" Wristblade	6
LK500GN08L2	8"	2" Lever	4.75
LK500GN08T4	8"	4" Wristblade	5
LK500GN08T6	8"	6" Wristblade	5
HIGH ARC			
LK500HA08L2	8"	2" Lever	5.5
LK500HA08T4	8"	4" Wristblade	5.75
LK500HA08T6	8"	6" Wristblade	6
LK500HA10L2	10"	2" Lever	5.5
LK500HA10T4	10"	4" Wristblade	5.75
LK500HA10T6	10"	6" Wristblade	6

8" Centerset Wall Mount

- Choice of 3 handle options
- Gooseneck spout
- Quarter turn ceramic disc cartridge
- Solid brass construction
- 2.2 GPM vandal-resistant aerator standard with 1.5 and .5 GPM insert included
- Chrome finish
- Includes spout swing restriction pin
- Replacement cartridge 45923C for cold
- Replacement cartridge 45924C for hot
- 1/2" NPT female inlets
- Optional external shut-off valve available



LK940GN04L2H

Model Number	Spout Reach	Handle	Inlet	Shipping WT. LBS.
GOOSENECK				
LK940GN04L2H	4"	2" Lever	Standard	6.25
LK940GN04L2S	4"	2" Lever	Shut Off Valve	6.5
LK940GN04T4H	4"	4" Wristblade	Standard	6.5
LK940GN04T4S	4"	4" Wristblade	Shut Off Valve	6.75
LK940GN04T6H	4"	6" Wristblade	Standard	6.5
LK940GN04T6S	4"	6" Wristblade	Shut Off Valve	7
LK940GN05L2H	5"	2" Lever	Standard	6.5
LK940GN05L2S	5"	2" Lever	Shut Off Valve	6.75
LK940GN05T4H	5"	4" Wristblade	Standard	6.5
LK940GN05T4S	5"	4" Wristblade	Shut Off Valve	6.5
LK940GN05T6H	5"	6" Wristblade	Standard	6.75
LK940GN05T6S	5"	6" Wristblade	Shut Off Valve	7
LK940GN08L2H	8"	2" Lever	Standard	5.5
LK940GN08L2S	8"	2" Lever	Shut Off Valve	6
LK940GN08T4H	8"	4" Wristblade	Standard	6
LK940GN08T4S	8"	4" Wristblade	Shut Off Valve	6.25
LK940GN08T6H	8"	6" Wristblade	Standard	6
LK940GN08T6S	8"	6" Wristblade	Shut Off Valve	6.25



LK940GN05T6S



LK940GN08T4H

8" Centerset with Concealed Deck



LK800AT08L2

- Choice of 3 handle options
- Choice of 4 spout styles
- Quarter turn ceramic disc cartridge
- Solid brass construction
- 2.2 GPM vandal-resistant aerator standard with 1.5 and .5 GPM insert included
- Chrome finish
- Includes spout swing restriction pin
- Replacement cartridge 45923C for cold
- Replacement cartridge 45924C for hot
- Adjustable mounting up to 8" spread



LK800AT12T6



LK800GN04T6

Model Number	Spout Reach	Handle	Side Spray	Shipping WT. LBS.
ARC TUBE				
LK800AT08L2	8"	2" Lever		6.25
LK800AT08T4	8"	4" Wristblade		6.5
LK800AT08T6	8"	6" Wristblade		6.5
LK800AT10L2	10"	2" Lever		6.25
LK800AT10T4	10"	4" Wristblade		6.5
LK800AT10T6	10"	6" Wristblade		6.75
LK800AT12L2	12"	2" Lever		5.5
LK800AT12T4	12"	4" Wristblade		5.5
LK800AT12T6	12"	6" Wristblade		5.75
GOOSENECK				
LK800GN04L2	4"	2" Lever		6.25
LK800GN04T4	4"	4" Wristblade		6.25
LK800GN04T6	4"	6" Wristblade		6.5
LK800GN05L2	5"	2" Lever		6.25
LK800GN05T4	5"	4" Wristblade		6.5
LK800GN05T6	5"	6" Wristblade		6.75
LK800GN08L2	8"	2" Lever		5.5
LK800GN08T4	8"	4" Wristblade		5.75
LK800GN08T6	8"	6" Wristblade		6
LK801GN08L2	8"	2" Lever	■	5.5

8" Centerset with Concealed Deck

- Choice of 3 handle options
- Choice of 4 spout styles
- Quarter turn ceramic disc cartridge
- Solid brass construction
- 2.2 GPM vandal-resistant aerator standard with 1.5 and .5 GPM insert included
- Chrome finish
- Includes spout swing restriction pin
- Replacement cartridge 45923C for cold
- Replacement cartridge 45924C for hot
- Adjustable mounting up to 8" spread



LK801GN08L2

Model Number	Spout Reach	Handle	Side Spray	Shipping WT. LBS.
HIGH ARC				
LK800HA08L2	8"	2" Lever		6.25
LK800HA08T4	8"	4" Wristblade		6.25
LK800HA08T6	8"	6" Wristblade		6.5
LK800HA10L2	10"	2" Lever		6.25
LK800HA10T4	10"	4" Wristblade		6.5
LK800HA10T6	10"	6" Wristblade		6.75
TUBE SPOUT				
LK800TS08L2	8"	2" Lever		6.25
LK800TS08T4	8"	4" Wristblade		6.25
LK800TS08T6	8"	6" Wristblade		6.5



LK800HA08L2



LK800TS08T4



LK395A



LK396A


Spouts

- For use with Elkay knee and foot pedal valves (see below)
- Solid brass construction
- Chrome plated finish
- Vandal-resistant anti-hose aerator

Model Number	Spout Reach	Shipping WT. LBS.
BACK MOUNT		
LK395A	8-1/4" Swing	3
DECK MOUNT		
LK396A	10-3/4" Rigid	3

Knee and Foot Pedal Valves

- Chrome plated finish
- Hands-free operation for enhanced sanitation
- LK397C and LK398C includes mounting package (stops, valves and wall flanges)



LK397C




LK398C



LK399A


Model Number	Mounting	Activation	Shipping WT. LBS.
LK397C	Wall	Knee	14
LK398C	Wall	Foot	9
LK399A	Floor	Foot	3



Elkay **Service and Utility Faucets** are available for a wide range of institutional applications. A choice of inlets, as well as spout options that include bucket hooks and vacuum breakers, make this versatile group of faucets the answer to a large array of installation requirements. When it comes to facility maintenance, it's Elkay at your service!



8" Centerset Wall Mount



LK940BR03L2H


- Choice of 3 handle options
- Choice of 3 spout styles
- Quarter turn ceramic disc cartridge
- Solid brass construction
- Rough Chrome finish
- Includes spout swing restriction pin
- Replacement cartridge 45923C for cold
- Replacement cartridge 45924C for hot
- 1/2" NPT female inlets
- Optional external shut-off valve available on selected models



LK940BR07L2H



LK940AT08L2H



LK940VS07L2H



LK69CP



LK69CH

Model Number	Spout Reach	Handle	Inlet	Shipping WT. LBS.
BUCKET HOOK				
LK940BR03L2H	3"	2" Lever	Standard	7.5
LK940BR07L2H	7"	2" Lever	Standard	8.75
LK940BP03L2H	3"	2" Lever	Standard	7
LK940BP03L2S	3"	2" Lever	Shut Off Valve	7.5
LK940BP03T4H	3"	4" Wristblade	Standard	7.25
LK940BP03T4S	3"	4" Wristblade	Shut Off Valve	7.5
LK940BP03T6H	3"	6" Wristblade	Standard	7.5
LK940BP03T6S	3"	6" Wristblade	Shut Off Valve	7.75
LK940BP07L2H	7"	2" Lever	Standard	8
LK940BP07L2S	7"	2" Lever	Shut Off Valve	8.25
LK940BP07T4H	7"	4" Wristblade	Standard	8.25
LK940BP07T4S	7"	4" Wristblade	Shut Off Valve	8.25
LK940BP07T6H	7"	6" Wristblade	Standard	8.5
LK940BP07T6S	7"	6" Wristblade	Shut Off Valve	8.75
ARC TUBE				
LK940AT08L2H	8"	2" Lever	Standard	6.25
VENTED SPOUT				
LK940VS07L2H	7"	2" Lever	Standard	7
LK940VS07L2S	7"	2" Lever	Shut Off Valve	7.5
LK940VS07T4H	7"	4" Wristblade	Standard	7.25
LK940VS07T4S	7"	4" Wristblade	Shut Off Valve	7.5
LK940VS07T6H	7"	6" Wristblade	Standard	7.5
LK940VS07T6S	7"	6" Wristblade	Shut Off Valve	7.75

Single Hole Wall Mount

- Cross arm handle
- Chrome plated brass
- 1/2" IPS female inlets
- Sold as a pair or individually

Model Number	Description	Shipping WT. LBS.
LK69C	Pair includes (1) LK69CH and (1) LK69CP	2
LK69CH	3/4" threaded hose outlet	1
LK69CP	Plain outlet	1

3"-8" Adjustable Centers Wall Mount

- Bucket hook spout
- Quarter turn ceramic disc cartridge
- Solid brass construction
- Chrome finish
- Includes spout swing restriction pin
- Replacement cartridge 45923C for cold
- Replacement cartridge 45924C for hot
- 1/2" NPT female inlets



LK945BP03L2T

Model Number	Spout Reach	Handle	Inlet	Shipping WT. LBS.
BUCKET HOOK				
LK945BP03L2T	3"	2" Lever	2" Offset	6.5
LK945BP07L2T	7"	2" Lever	2" Offset	7.5
VENTED SPOUT				
LK945VS07L2T	7"	2" Lever	2" Offset	6.75
LK945VS07T4T	7"	4" Wristblade	2" Offset	6.75
LK945VS07T6T	7"	6" Wristblade	2" Offset	7



LK945VS07L2T



LK945BP07L2T

4"- 8³/₈" Adjustable Centers Wall Mount

- 2" lever handles
- Bucket hook spout
- Solid brass construction
- Rough chrome finish
- 1/2" NPT female inlets



Model Number	Description	Inlet	Shipping WT. LBS.
LK400	3/4" threaded hose outlet	Standard	4



LK400

8" Centerset Wall Mount

- Quarter turn ceramic disc cartridge
- Solid brass construction
- Rough chrome finish



Model Number	Spout Reach	Handle	Inlet	Shipping WT. LBS.
BUCKET HOOK				
LKB940C	7"	2" Lever	1/2" Offset	5.6



LKB940C



Elkay **Classroom Faucets** are available in a complete range of models designed especially for use on standard drinking fountain and sink applications. Rigid or swing spout, deck or concealed undermount, two-wing hot and cold or single-wing hot and cold, we have a model to meet every arrangement. For faucets that belong at the head of the class, rely on Elkay!

Single Hole Deck Mount with Dual Handles

- High spout design
- Die-cast metal wing handles
- Heavy chrome plate tubular brass spout
- Removable cartridge
- Cast brass body
- 3/8" O.D. copper tubing



Model Number	Spout Reach	Handles	Shipping WT. LBS.
LKDC2088	5-1/8" rigid	Dual Mixing	5
LKDC2223	6-5/8" swing	Dual Mixing	5

Single Hole Concealed Deck Mount with Single Handle

- High spout design
- Die-cast metal wing handle
- Heavy chrome plate tubular brass spout
- Removable cartridge
- Cast brass body
- 1/2" I.P. connections



Model Number	Spout Reach	Handle	Shipping WT. LBS.
LKDC2085	5-1/8" rigid	Right Side	4
LKDC2085L	5-1/8" rigid	Left Side	4
LKDCVR2085*	5-1/8" rigid	Right Side	4
LKDCVR2085L*	5-1/8" rigid	Left Side	4

* VR models feature vandal resistant aerator, handle screw and factory installed anti-rotation pins

Single Hole with Single Control

- Choice of 3 handle options
- Choice of 3 spout styles
- Quarter turn ceramic disc cartridge
- Solid brass construction
- 2.2 GPM vandal-resistant aerator standard with .5 GPM insert included
- Chrome finish
- Includes spout swing restriction pin
- Replacement cartridge 45923C for cold



LK535GN04L2

Model Number	Spout Reach	Handle	Shipping WT. LBS.
ARC TUBE			
LK535AT08L2	8"	2" Lever	4.5
LK535AT08T4	8"	4" Wristblade	4.5
LK535AT08T6	8"	6" Wristblade	4.75
LK535AT10L2	10"	2" Lever	4.5
LK535AT10T4	10"	4" Wristblade	4.5
LK535AT10T6	10"	6" Wristblade	4.75
LK535AT12L2	12"	2" Lever	3.75
LK535AT12T4	12"	4" Wristblade	3.75
LK535AT12T6	12"	6" Wristblade	4
GOOSENECK			
LK535GN04L2	4"	2" Lever	4.5
LK535GN04T4	4"	4" Wristblade	4.5
LK535GN04T6	4"	6" Wristblade	4.75
LK535GN05L2	5"	2" Lever	4.5
LK535GN05T4	5"	4" Wristblade	4.75
LK535GN05T6	5"	6" Wristblade	5
LK535GN08L2	8"	2" Lever	3.75
LK535GN08T4	8"	4" Wristblade	4
LK535GN08T6	8"	6" Wristblade	4
HIGH ARC			
LK535HA08L2	8"	2" Lever	4.5
LK535HA08T4	8"	4" Wristblade	4.75
LK535HA08T6	8"	6" Wristblade	5
LK535HA10L2	10"	2" Lever	4.5
LK535HA10T4	10"	4" Wristblade	4.75
LK535HA10T6	10"	6" Wristblade	5



LK535AT08T4



LK535GN08T6



LK535HA08L2



8" Centers with Concealed Deck

- Tubular brass Hi-Arc® swing spout with restricted flow aerator
- Choice of 2 handle styles
- Cast brass body
- 1/2" I.P. connections



Model Number	Spout Reach	Handle	Side Spray	Shipping WT. LBS.
HI-ARC®				
LKDC2432	7-1/4" swing	Wing		5
LKDC2432BH	7-1/4" swing	4" Blade		5
LKDC2433	7-1/4" swing	Wing	■	6



LK1141A

Classroom Bubblers

- No-lead Flexi-Guard® bubbler with anti-microbial additive, flexes on impact to prevent accidental injury.
- Built-in adjustable water volume control and pressure regulator.
- 1/2" straight pipe thread connection.



Model Number	Body	Mouthguard	Handle	Shipping WT. LBS.
LK1141A	Chrome Plated	Flexi-Guard	Pushbutton	3
LKBH1141A	Chrome Plated	Flexi-Guard	Bat	5
LKVR1141A*	Chrome Plated	Metal	Pushbutton	4
LKVRBH1141A*	Chrome Plated	Metal	Bat	5
LKSS1141A	Stainless Steel	Flexi-Guard	Pushbutton	4
LKSSVR1141A*	Stainless Steel	Metal	Pushbutton	4
LKR1141A	Chrome Plated	Flexi-Guard	Remote Pushbutton	4

* VR models feature anti-rotation pin



LKVRBH1141A



LKR1141A

Elkay **General Use Faucets** are an ideal choice for light-duty applications, such as a teacher's lounge or an office's kitchenette area. Choose from a wide selection of kitchen and hospitality faucets, in a variety of configurations, for those areas that do not require a commercial grade product, but still require the peace-of-mind that Elkay quality provides.



LK3000CR

Single Handle, Concealed Deck

- Removable ceramic disc cartridge
- Quick connect side spray fittings for fast installation
- 1.5 GPM flow regulator installed (2.2 GPM flow regulator also included with faucet)
- 3/8" copper tube supplies with 1/2" male IPS adaptors
- ANSI/NSF certified
- 360° spout rotation
- 2-1/2" maximum countertop thickness
- Chrome plated finish



LK3001CR

Model Number	Spout Reach	Handle	Side Spray	Shipping WT. LBS.
HI-ARC®				
LK3000CR	8"	Lever		3-3/4
LK3001CR	8"	Lever	■	4-1/4
TUBE SPOUT				
LK1500CR	8"	Lever		3-1/2
LK1501CR	8"	Lever	■	4-1/4



LK1500CR



LK1501CR



LKD2433

8" Centerset Concealed Deck with Twin Handles

- Choice of 3 spouts styles
- Removable cartridges
- Chrome plated finish
- Swing spout with aerator
- Water saving flow restrictor



Model Number	Spout Reach	Handle	Side Spray	Shipping WT. LBS.
HI-ARC®				
LKD2432	8"	Wing		5
LKD2432BH	8"	4" Blade		5
LKD2433	8"	Wing	■	6
LKD2439	6-1/2"	Wing		5
LKD2439BH	6-1/2"	4" Blade		5
LKD2452	10"	Wing		5
LKD2452BH	10"	4" Blade		5
LKD2453	10"	Wing	■	6
CAST SPOUT				
LKD230	9-1/2"	Wing		7
LKD230BH5	9-1/2"	5" Blade		8
LKD231	9-1/2"	Wing	■	8
LKD231BH5	9-1/2"	5" Blade	■	8
GOOSENECK				
LKD232S	5-5/8"	Wing		7
LKD232SBH5	5-5/8"	5" Blade		7



LKD2439BH



LKD231

8" Centerset Concealed Deck with Twin Handles

- Removable ceramic disc cartridge
- Quick connect side spray fittings for fast installation
- 1.5 GPM flow regulator installed (2.2 GPM flow regulator also included with faucet)
- 3/8" copper tube supplies with 1/2" male IPS adaptors
- ANSI/NSF61 certified
- 360° spout rotation
- 2-1/2" maximum countertop thickness
- Chrome plated finish



LKD232SBH5



LK1000CR



LK1001CR

Model Number	Spout Reach	Handle	Side Spray	Shipping WT. LBS.
HI-ARC®				
LK1000CR	8"	Lever		4
LK1001CR	8"	Lever	■	4

8" Centerset Exposed Deck Mount with Twin Handles

- Choice of 2 spout styles
- Removable cartridges
- Chrome plated finish
- Swing spout with aerator
- Water saving flow restrictor



LKD2443

Model Number	Spout Reach	Handle	Side Spray	Shipping WT. LBS.
HI-ARC®				
LKD2442	8"	Wing		5
LKD2442BH	8"	4" Blade		5
LKD2443	8"	Wing	■	5
LKD2445BH	7-1/4"	4" Blade		5
GOOSENECK				
LKD2423	7"	Wing		6
LKD2423BH	7"	4" Blade		6



LKD2445BH



LKD2423

Single Handle, Pull-Out/Pull-Down

- Removable ceramic disc cartridge
- Quick connect hand spray fittings for fast installation
- 1.5 GPM flow regulator installed (2.2 GPM flow regulator also included with faucet)
- Color coded braided stainless steel supplies with female 3/8" compression fittings and 1/2" male IPS adaptors
- ANSI/NSF certified
- 2-1/2" maximum countertop thickness
- 1 or 3 hole installation (includes optional 3 hole cover plate)
- Matching soap dispensers: LK315 or LK320 (not included)
- Chrome (CR) or Lustrous Steel (LS) finish



Model Number	Spout Reach	Handle	Side Spray	Shipping WT. LBS.
LK4000CR	8-3/4"	Lever		5-1/2
LK4000LS	8-3/4"	Lever		5-1/2
LK5000CR	9-1/2"	Lever		5-3/4
LK5000LS	9-1/2"	Lever		5-3/4
LK6000CR	9"	Lever		6-1/4
LK6000LS	9"	Lever		6-1/4



LK4000LS



LK5000CR



LK6000CR

† Clear crystalac handles are non-ADA compliant



LKD2438BH



LKA2475LF



LKD2230



LKD20888



LKD20858



LKD208513

Twin Handle Bar/Hospitality

- Choice of 3 spout styles
- Removable cartridges
- Chrome plated finish
- Water saving flow restrictor



Model Number	Spout Reach	Handle	Shipping WT. LBS.
HI-ARC®			
LKDA2437	6" swing	Clear Crystalac	5
LKD2437BH	6" swing	4" Blade	6
LKDA2438	6-1/2" swing	Clear Crystalac	5
LKD2438BH	6-1/2" swing	4" Blade	5
LKD2448BH	6-1/2" swing	4" Blade	4
LKDA2447	6" swing	Clear Crystalac	4
LKD2447BH	6" swing	4" Blade	4
CAST SPOUT			
LKD2230	9-1/2" swing	Wing	6
GOOSENECK			
LKD20888	4-3/4" rigid	Wing	5
LKD208813	4-3/4" rigid	Wing	5
LKDVR208813*	4-3/4" rigid	Wing	5
LKD2223	5-5/8" swing	4" Blade	6
LKA2475LF	3-1/2" swing	Clear Crystalac	2
LKD24898	4" swing	Wing	3
LKD24898BH	4" swing	4" Blade	4

Single Handle Bar/Hospitality

- Choice of two spout styles
- Circular brass base
- Removable cartridges
- Chrome plated finish
- Water saving flow restrictor



Model Number	Spout Reach	Handle	Shipping WT. LBS.
GOOSENECK			
LKD20858	4-3/4" rigid	Wing, Right Side	4
LKD20858L	4-3/4" rigid	Wing, Left Side	4
LKD208513	4-3/4" rigid	Wing, Right Side	4
LKD208513L	4-3/4" rigid	Wing, Left Side	4
LKDVR208513*	4-3/4" rigid	Wing, Right Side	4
LKDVR208513L*	4-3/4" rigid	Wing, Left Side	4

* VR models feature vandal-resistant aerator, handle screw and factory installed anti-rotation pins

† Clear crystalac handles are non-ADA compliant



Elkay **Accessories** are designed to withstand the frequent and often times harsh use of commercial applications. Our faucet bodies offer mix and match spouts, handles, aerators and other accessories to match the job requirements.

Spouts

For use with Commercial Grade Faucets, pages 3-8, 14-21

- Large nut used on 4" and 8" centerset models
- Small nut used on all single hole models




Arc Tube

3" Bucket Hook

7" Bucket Hook



Cast Fixed



Double Swing

Gooseneck



High Arc

Tube Spout



Vented

Model Number	Spout Reach	Description	Shipping WT. LBS.
ARC TUBE			
A55393	8"	Small Nut	.50
A55395	10"	Small Nut	.50
A55399	12"	Small Nut	.55
BUCKET HOOK			
A55404	3"	Polished	1.5
A55405	3"	Rough	1.75
A55406	7"	Polished	2.5
A55407	7"	Rough	2.75
CAST FIXED			
A55409	6"		2.5
DOUBLE SWING			
A55411	20"		2.0
GOOSENECK			
A55397	4"	Small Nut	.50
A55401	5"	Small Nut	.50
A55403	8"	Small Nut	.75
HIGH ARC			
A55446	8"	Small Nut	.50
A55445	10"	Small Nut	.75
TUBE SPOUT			
A55408	8"		.75
VENTED SPOUT			
A55468	7"		1.5

Handles

For use with Commercial Grade Faucets, pages 3-21

Model Number	Size	Description	Shipping WT. LBS.
45918C	2"	Lever	.25
45919C	4"	Wrist Blade	.50
45920C	6"	Wrist Blade	.75



2" Lever Handle

4" Wristblade Handle

6" Wristblade Handle

Aerators

For use with Commercial Grade Faucets, pages 3-22

- LK734** 2.2 GPM **Vandal-Resistant** Aerator Kit
(Standard on all commercial faucets)
- LK733** .5 GPM **Vandal-Resistant** Aerator Kit
- LK735** 1.5 GPM **Vandal-Resistant** Laminar Flow Aerator Kit
- A55536** Aerator Key included with all Vandal-Resistant Aerator Kits,
(can be ordered separately)
- LK736** 2.2 GPM Aerator



A55536

Vandal-Resistant Aerator



LK736

For use with General Use Grade Faucets, pages 24-27

- LK370** 2.2 GPM Swivel Aerator
- LK3712** 2.2 GPM Swivel Spray Aerator



LK370



LK3712

Cartridges

For use with Commercial Grade Faucets, pages 3-22

- 45922C** Left hand (hot) ceramic 1/4 turn cartridge long stem
- 45921C** Right hand (cold) ceramic 1/4 turn cartridge long stem
- 45924C** Left hand (hot) ceramic 1/4 turn cartridge short stem
- 45923C** Right hand (cold) ceramic 1/4 turn cartridge short stem



45922C

45924C

For use with General Use Grade Faucets, pages 24-27

- P29121NL** Right hand (cold) ceramic 1/4 turn cartridge
- P29122NL** Left hand (hot) ceramic 1/4 turn cartridge

Backsplash Mounting Kit

- LKMK462** For installation of wall-mount faucets onto stainless steel backsplash. Includes 2 ea. of 1/2" nipples, 1/2" NPT by 1/2" sweat ells, washers and lock nuts. 1 lb.



LKMK462

Sensor Operated Faucet Accessories

For use with Sensor Operated Faucets, page 13

MIXING VALVES



LK723



LK724

LK723

Anti-scald thermostatic mixing valve with nickel plated brass body, 1/2" SWT inlets and outlet connections, check valves on inlets and mixed temperature range of 80°-120°F. Certified under ASSE 1016. Ship Wt. 2 lbs.

LK724

Mechanical mixing valve with C.P. brass body, 3/8" compression on inlets and outlet connections, and check valves on inlets. Ship Wt. 1 lb.



LK105CR

Air Gap Accessory

LK105CR

Universal design that fits with many faucet styles.



LK315LS



LK320CR

Soap/Lotion Dispensers

LK315LS

Pairs with single handle pullout faucets.

LK320CR

Pairs with many of the general use faucets.



ELKAY®

Coast-To-Coast Elkay Sales Network

Our national sales presence and extensive distributor base provide excellent service and convenience. For the name of your nearest Elkay Sales Rep or Wholesaler:

- Visit the "Where to Buy" area on elkayusa.com
- Call our customer service department at 630.572.3192

Elkay Technical Support

- Help is always just "One Call" away.
- Trained factory technicians available during business hours, 5 days a week
- 98% of technical service inquiries handled on the first call

Visit elkayusa.com

- Up-to-date product specification sheets
- Current catalog and pricing
- Local sales rep locator
- Warranty information
- Where to buy our products
- Service information
- How to contact Elkay

Throughout the birth and growth of the Elkay plumbing products group, the leadership and vision of Elkay's founders has always been maintained: provide better customer service, higher quality and more innovation than our competitors. Our faucets are no exception. We invite you to learn more about our products and services.

Contact Information

Web Site: elkayusa.com

Corporate Headquarters:

630.574.8484

Customer Service: 630.572.3192

Fax: 630.574.5012

2222 Camden Court

Oak Brook, Illinois 60523

