T&S

T&S BRASS AND BRONZE WORKS, INC.

2 SADDLEBACK COVE / P.O. BOX 1088 / TRAVELERS REST, SC 29690 PHONE 800-476-4103 FAX 864-834-3518




Model No. B-0165

Item No.:

Job Name:

Architect/Engineer Approval:

Notes:



Product Description:	Drawn:	Checked	Scale:
WASH-DOWN HOSE UNIT	RJK	JRM	1:4
	Approved		Date:
	JHB		01-04-06

Tes

T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

B-0165-C35-68H

Item No.

NSF 61 - Section 9 NSF 372 (Low Lead Content) EPAct 2005 (PRSV)

1:8

Sheet: 1 of 2

Scale:

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

	,			
			This Space fo	or Architect/Engineer Approval
6			Job Name	Date
W.			Model Specified	Quantity
			Customer/Wholesa	aler
0 0			Contractor	
	뷀		Architect/Engineer	
		Note 1. 2.	es: The Add-On Faucet is and is Installed in Outl Units Before Fitting Right-	an Addition to Pre-Rinse Units lets of Base Mixing Faucets of ser Pipes s Water On-Off Thru Wasdown is Always "On" in the Riser Pipe
	B-0107-C35 0.65 GPM Low Flow Angled Spray Valve 68" Flexible Stainless Steel Hose 1/4 Turn Eterna Cartridge & 4-Arm Handle 3 5/8" 92mm		1 12	Hanger Hook w/ Chrome Plated Screws Pre-Rinse Riser (Sold Separately) 3/8" NPT Female Outlet 3/8" NPT Male Inlet
Product Spe				duct Compliance:
Washdown Hose Unit, 1/4 Turn Eterna Cartridge, 4-Arm Handle, ASME A112.18			ME A112.18.1 / CSA B125.1	

68" Flexible Stainless Steel Hose, 0.65 GPM Low Flow Angled Spray

DMH

Approved:

JHB

Date:

09/19/14

Checked:

Valve & Hanger Hook

KJG

Drawn:




T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.


B-0165-C35-68H


Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com



NO.	SALES NO.	DESCRIPTION
1	B-0107-C35	0.65 GPM Low Flow Angled Spray Valve
2	010476-45	#27 Washer
3	000907-45	Spray Valve Hold Down Ring
4	002987-40	Grip Handle
5	B-0068-H2A	68" Flexible Stainless Steel Hose - Less Handle
6	034A	Swivel Adapter
7	009538-45	Swivel Washer
8	011429-45	Swivel Sleeves (2)
9	001074-45	O-Ring
10	000922-45	Lever Handle Screw
11	002521-45	4-Arm Handle
12	005960-40QT	1/4 Turn Eterna Cartridge, RTC
13	000378-40	Nipple, 3/8" NPT x 3"
14	B-0166	Hanger Hook w/ Chrome Plated Screws





Product Specifications:

Washdown Hose Unit, 1/4 Turn Eterna Cartridge, 4-Arm Handle, 68" Flexible Stainless Steel Hose, 0.65 GPM Low Flow Angled Spray Valve & Hanger Hook

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) EPAct 2005 (PRSV)

Drawn: KJG Checked: DMH Approved: JHB Date: 09/19/14 Scale: NTS Sheet: 2 of 2

TES

T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

B-0165-C35-GGB

Item No.

NSF 61 - Section 9 NSF 372 (Low Lead Content) EPAct 2005 (PRSV)

1:6

Sheet: 1 of 2

Scale:

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

1 valicy, 00. 000 470 4100 3 011111 valicy, 07. 00	0 720 0100	50 - 1 ax. 00+ 00+ 0010 - www.tsbrass.com
50		This Space for Architect/Engineer Approval
		Job NameDate
ñ		Model Specified Quantity
12		Customer/Wholesaler
		Contractor
		Architect/Engineer
	N. 1. 4	
	Note 1.	es: The Add-On Faucet is an Addition to Pre-Rinse Units
		and is Installed in Outlets of Base Mixing Faucets of Units Before Fitting Riser Pipes
	2.	4-Arm Handle Controls Water On-Off Thru Washdown
		Hose Only. Pressure is Always "On" in the Riser Pipe (Controlled by Base Mixing Faucet)
		(Controlled by Dase Winning Fadeet)
•		
		M
Finger Hook		
H S		
B-0107-C35		(Sold Separately)
0.65 GPM Low Flow Angled	#	
Spray Valve —	ш	0.5/40
68" Flexible Stainless	胃	2 5/16" 59mm
Steel Hose		034A Swivel Adapter
■		Female Outlet
Cartridge & 4-Arm Handle		
3 5	/8"	
[92n	mm]	
	i	3 5/8"
3/8" NPT		92mm]
Male Inlet		4 15/16"
		125mm
oduct Specifications:		Product Compliance:

Washdown Hose Unit, Quarter-Turn Eterna Cartridge, 4-Arm Handle, 68" Flexible Stainless Steel Hose, 0.65 GPM Low Flow Angled Spray

DHL

Approved:

JHB

Date:

07/01/15

Valve & Finger Hook

KJG

Checked:

Drawn:



T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690


Model No.

B-0165-C35-GGB

Item No.

DESCRIPTION

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com



Product Specifications:

Washdown Hose Unit, Quarter-Turn Eterna Cartridge, 4-Arm Handle, 68" Flexible Stainless Steel Hose, 0.65 GPM Low Flow Angled Spray Valve & Finger Hook

Product Compliance:

NSF 61 - Section 9 NSF 372 (Low Lead Content) EPAct 2005 (PRSV)

Drawn: KJG Checked: DHL Approved: JHB Date: 07/01/15 Scale: NTS Sheet: 2 of 2